

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

ENCROACHMENT PERMIT:

App ID: 73606

Activity:

Function: 0628

Region 2 81R22490

R2-160628-0Date: **9/6/2016****Application of:** Central Utah Telephone, Inc. -Skyline TelecomWork Order No: **MC16849****By:** Pam Rigby

Office:(435) 427-3331 Fax:(435) 427-0808

Address: PO Box 7 Fairview, UT 84629

Work:(435) 427-0650

is hereby granted subject to: Utah Depart Transportation's (UDOT's) Regulations For the Accommodation of Utilities on Federal Aid and Non Federal-Aid Highway Right-of-Way, Regulations for the Control and Protection of State Highway Rights of Way, Standard Specifications for Road and Bridge Construction, UDOT Specifications for Excavation of State Highway, State Occupational Safety and Health Laws, Manual on Uniform Traffic Control Devices, Instructions to Flaggers, the approved plans, and any special limitations set forth herein, permission for the purpose of **Directional drill 82' road bore at MPM 4.1 SR 71.**

Installing handhole on SE**corner of SR 71 and Vista Station Blvd.** within the right of way limits in the following locations: **12300 South SR 71.**

Highway 0071 Milepost 4.0810 to in/near DRAPER, SALT LAKE county

A permit fee of \$500.00 has been received.

The permitted work shall commence **9/6/2016** and shall be diligently prosecuted to completion. The work shall be completed and all disturbed surfaces or objects restored on or before **9/29/2016**. In the event work is commenced under this Permit and the permittee fails or refuses to complete the work, UDOT may, at its election, correct any deficiencies or otherwise complete the permitted work at the expense of the permittee. Upon receipt of an invoice of the costs incurred by UDOT, permittee shall immediately pay the amount due. If an action is required to be filed in court to collect the amount due, permittee shall be liable for UDOT's costs and fees, including attorney's fees.

Before work permitted is commenced, the permittee shall notify the permits inspector listed below. By applying for the Permit and UDOT issuing the Permit, permittee will comply with all instructions, conditions, requirements, and regulations of UDOT with respect to performance of the work described in the Permit. Permittee will properly control and warn the public of said work within UDOT's rights-of-way to prevent any accidents. Permittee shall defend, indemnify, and hold harmless UDOT from all damages or claims, including attorneys fees, arising out of any and all actions performed under this Permit by permittee, permittee's employees, agents or contractors, including failure to comply with terms and conditions in this Permit. Permittee shall pay for UDOT's inspections fees.

Permittee shall execute a bond in the minimum amount of \$100,000.00, as determined by the Regional Director/District Engineer, to insure faithful performance of the permittee's obligation. The bond shall remain in force for three years after completion of work.

Permittee shall not perform any work on state highway rights-of-way beyond those areas of operation described on this Permit.

If permittee fails to comply with UDOT's regulations, specifications, or instructions pertinent to this Permit, the Region Director/District Engineer or his duly authorized representative, may by verbal order, suspend the work until the violation is corrected. If permittee fails or refuses to promptly comply, the Region Director/District Engineer or his authorized representative may issue a written order stopping all or any part of the work. When satisfactory corrective action is taken, an order permitting resumption of work may be issued.

****** 24 Hours before starting work, call Keith Barnes 801-554-5140 at (801) 554-5140 ******

Special Limitations:

- Anyone working in UDOT's right of way must produce a valid permit, must be covered by a bond and insurance and must provide 24/7 contact phone numbers for emergencies
- Contractors working in UDOT's right-of-way must maintain access to transit facilities. Contractor shall notify UTA of all bus stops within work zone at least 1 business day prior to placing traffic control. Contractor shall keep access to bus stops for both passengers and buses, or provide an alternative approved by UTA. Both preserved and alternate access must match existing conditions or meet ADA standards. UTA in Utah county Ken Anson 801.227.8957 or kanson@rideuta.com , in Salt lake county contact Michael Clara 801.287.2325 or mclara@rideuta.com , in Weber County contact Bart Dean 801.287.1246 or bdean@rideuta.com. Bus stop access requirements may be waived by the UDOT permits officer on days when the bus does not run.
- INSPECTION CALL-IN REQUIREMENTS: The person performing the work authorized by the permit is responsible for notifying UDOT when work is ready for inspection. Every request for inspection must be called in at least 24-hours before the inspection is desired.
- Arrow board is required for any lane closure.
- All night work requires a minimum of one light plant to light work zone.
- Contractor shall maintain pedestrian and bicycle access through work zone.
- All subsurface utilities shall meet depth requirements per R930-7-8 table 2 (3-5 feet depending on location).
- Pothole Utilities we will require core to be removed, locate utility, Flow fill to bottom of pavement, Put core back in and utilibond in place.
- This agreement and/or permit is UDOT approval only. You are responsible to obtain clearances from rail roads, private propertyowners and local jurisdictions that you are working within.
- Any obstruction or object placed in UDOT's right of way must be identified on the approved plan-set and be approved by UDOT traffic and safety if in the AASHTO clear zone.
- Licensee must do all work in accordance with UDOT standard drawings.
Use current edition of UDOT standard drawing for traffic control. Use Utah MUTCD standards for traffic control elements not shown in UDOT standard

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

- drawings. Traffic control must be posted at the encroachment site for entire encroachment period.
- Prior to any work within the right-of-way, a traffic control plan must be submitted to UDOT and reviewed by the UDOT Traffic Engineer.
- Traffic Control Plans, signs and channelizing devices must conform to MUTCD Standards, as a minimum, and all signs must be equipped with three orange flags.
- Contact the TOC at 801-887-3700 prior to lane or shoulder closure with route, location, and detail duration. Call again when the job is complete.
- ANSI 107-2004 Class II clothing (or greater) is required of all workers within the right-of-way.
- Call 811, or contact Blue Stakes and check for other utilities in the area prior to excavation.
- No saw or pavement cuts permitted on this job.
- Licensee must place material such as road base, slag, gravel, etc. a minimum of 6" thick between edge of pavement and property line to prevent tracking onto the highway.
- ATSSA Certified Traffic Control Maintainer required.
- Licensee must comply with all environmental issues to include cultural & paleontologist clearances (see attachment "F").
- This permit is only for auger, bore, or directional drilling methods.
- Rotomill and inlay metal plates (1" minimum depth into the existing surface) as determined by Regional Permit Officer. USE STEEL PLATE AHEAD SIGN (W8-24) IN ADVANCE OF PLATE WHEN STEEL PLATES ARE PLACED ON THE ROADWAY. PLACE BUMP SIGN (W8-1) WITH A DIAGONAL DOWNWARD POINTING ARROW (W16-7P) PLAQUE ADJACENT TO THE STEEL PLATE.

Plates within the right of way shall be secured on all open excavations.

- Untreated Base Course with 97% compaction for the full depth of the trench with 6" lifts.
- Must use state approved mix. Saw cut and tack joints. Replace asphalt to existing depth or 7". Place using multiple, uniform lifts.
- Must use UDOT approved concrete mix design.
- All work must comply with current ADA standards.
- An inspector is required at the contractors expense with 48 hours notice.
- Inspections are not free. Please call your inspector if you are not working. You will be billed for the inspection if you fail to call.
- An inspector may be required at permittee's expense, with 48 hours notice. By accepting this permit, I agree to pay for inspection fees.
- Licensee is responsible for repairing and/or restoring any portion of the roadway damaged during construction.
- Licensee must restore shoulder of highway to its original or better condition. Including reseeded, replacing sidewalk, fencing, pipe, culverts or signs removed or damaged during construction and any other roadway features.
- Place pavement marking materials with a UDOT approved material within 48 hours of completion of paving. The pavement marking materials must meet UDOT standard specifications for a minimum of 6 months from time of placement.
- Work is to begin after 9:00 AM, open to traffic by 3:30 PM.
- All work must be completed by 12:00 PM prior to any Holiday and shall not commence until 8:00 AM on the following work day.
- Licensee shall keep highway free of mud and debris. A sweeper broom must be accessible for cleaning purposes.
- The depth of bury for all utility facilities under pavement shall be a minimum of four (4) feet below the top of pavement or existing grade including open drainage features. Where utility facilities are installed within 20 feet from the edge of pavement, the depth of bury shall be a minimum of five (5) feet below top of grade so as to allow for installation of UDOT signs or delineators. Utility facilities under sidewalks shall be installed a minimum of three (3) feet below the top of sidewalk.
- No storage of backfill material or pipe will be allowed within the ASHTO Clear Zone. Excavations must be backfilled daily or barrier will be required.
- UDOT will not be responsible for any damages that may occur to this special encroachment, whether it be by vandals, routine highway maintenance, construction projects, etc.
- Sidewalk shall be restored within 48 hours.
- A copy of the permit must be present at the encroachment site for the entire encroachment period.

By carrying out the activities allowed by this permit it is conclusive evidence that I have accepted all provisions, limitations, and restrictions of the permit and attachments, understand and agree to all penalties for failing to comply with them, and understand my ability to review a permit and applicable attachments at the appropriate region/district office.

Shane Safford (see app for signature)

(Permittee)



Approved By:

(for Region Director/District Engineer)

Maintenance Station No. 2427 South Salt Lake, Larry Limberis (801) 523-2632

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

Attachments:

November 26, 2003

Dear Permit Applicant:

Your requested use of State Highway right-of-way may be subject to various environmental laws.

The issuance of an encroachment permit by UDOT does not represent that you have complied with these environmental laws. See UDOT Standard Specification for Road and Bridge Construction 01355, 1.3-1.9 and all of Section 00820.

Particular laws you must comply with include:

- * water quality regulations dealing with storm water discharge and wetland protection
- * wetland disturbances
- * water rights regulations
- * air quality, including fugitive dust emissions
- * encountered underground storage tanks or buried hazardous materials
- * protection of threatened and endangered species
- * historical, cultural and/or paleontological sites

This list is not all-inclusive. It is your obligation to see that those environmental laws are complied with just as you are to comply with all other laws and regulations related to your work. The fact that a UDOT inspector may review aspects of the work does not imply that you are in compliance with any other laws or regulations or absolve you from any duties related to the work or the permit.

If the location where the work is to be performed is situated within a highway easement through Federal Lands (BLM, Forest Service or other federal land ownership) or is owned by another state agency, you must also contact the appropriate agency to obtain clearances from them for the work you propose to perform.

Sincerely,
Carlos M. Braceras, P.E.
Executive Director

FR/M01.124

ENVIRONMENTAL LAW ADMINISTRATORS

WATER QUALITY REGULATIONS - dealing with storm water discharge in relation to surface-water streams and ground water, Utah Division of Water Quality, 288 N 1600 W, SLC, Ut 84116, Thomas Rushing, 538-6951 UPDES Permits; Infrastructure Design Aspects, Kiran Bhayan 538-6080.

WETLAND DISTURBANCES - US Army Corps of Engineers, Utah Regulatory Office 583 W 2600 S #150, Bountiful, Ut 84010, Nancy Kang 801-295-8380 x14

WATER RIGHTS REGULATIONS AND STREAM CHANNEL ALTERATIONS - Utah Division of Water Rights, 1594 W. North Temple, SLC, Ut 84006, Darren Rasmussen 801-538-7377

AIR QUALITY - including fugitive dust emissions, Utah Division of Air Quality, 150 N. 1950 W, SLC, Ut 84116, Jeff Dean 536-4089, Compliance Section

UNDERGROUND STORAGE TANKS OR BURIED HAZARDOUS MATERIALS - Utah Division of Solid and Hazardous Wastes, 288 N 1460 W, SLC, Ut 84116, Paul Zahn, 536-4181, Underground Storage Tank Manager; Steve Theriot 536-4107, Environmental Response Manager.

THREATENED OR ENDANGERED SPECIES - US Fish and Wildlife Service, Endangered Species Protection, Lincoln Plaza 145 E 1300 S #404, SLC, Ut 84115, Henry Maddux 975-3330

HISTORICAL, CULTURAL AND/OR PALEONTOLOGICAL SITES - Utah State Historic Preservation Office 300 Rio Grande, SLC, Ut 84101-1182 -- Roger Roper 533-3561 and James Dykman 533-3555. Obtain written clearance from the Utah State Historical Preservation Office (SHPO) on all undertakings. Permittee may be responsible for securing a consultant to conduct a cultural survey to identify and determine eligible sites.

Region 1 NEPA/NHPA Specialist Shaun Nelson - 801-620-1635
 Region 2 NEPA/NHPA Specialist Betsy Skinner - 801-975-4923
 Region 3 NEPA/NHPA Specialist Rich Crosland - 801-222-3413
 Region 4 NEPA/NHPA Specialist Susan Miller - 435-893-4753 or Pam Higgins - 435-893-4740

ENVIRONMENTAL LAW ADMINISTRATORS (CONTINUED)

YOU ARE REQUIRED TO FOLLOW THE BELOW PROCEDURES OUTLINED ON ALL EXCAVATION

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

1. If a suspected hazardous materials, underground tanks, threatened or endangered species, historic, archeological or paleontological (fossil) item, feature or site is encountered, the construction operation of the permittee shall immediately stop in the vicinity of the discovery.
2. The UDOT region permits officer will be verbally notified by the permittee of the nature and exact location of the findings.
3. The UDOT region permits officer will keep the permittee informed concerning the status of the temporary restriction.
4. Failure to restrict construction and/or notify the UDOT region permits officer may result in revoking the permit and/or the conviction of a Class B Misdemeanor under UCA 9-8-404.

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

ENCROACHMENT PERMIT:

App ID: 73606

Activity:

Function: 0628

Region 2

NO1

R2-160628-0Date: **9/6/2016****Application of:** Central Utah Telephone, Inc. -Skyline TelecomWork Order No: **MC16849****By:** Pam Rigby

Office:(435) 427-3331 Fax:(435) 427-0808

Address: PO Box 7 Fairview, UT 84629

Work:(435) 427-0650

is hereby granted subject to: Utah Depart Transportation's (UDOT's) Regulations For the Accommodation of Utilities on Federal Aid and Non Federal-Aid Highway Right-of-Way, Regulations for the Control and Protection of State Highway Rights of Way, Standard Specifications for Road and Bridge Construction, UDOT Specifications for Excavation of State Highway, State Occupational Safety and Health Laws, Manual on Uniform Traffic Control Devices, Instructions to Flaggers, the approved plans, and any special limitations set forth herein, permission for the purpose of **Directional drill 82' road bore at MPM 4.1 SR 71.**

Installing handhole on SE**corner of SR 71 and Vista Station Blvd.** within the right of way limits in the following locations: **12300 South SR 71.**

Highway 0071 Milepost 4.0810 to in/near DRAPER, SALT LAKE county

A permit fee of \$500.00 has been received.

The permitted work shall commence **9/6/2016** and shall be diligently prosecuted to completion. The work shall be completed and all disturbed surfaces or objects restored on or before **9/29/2016**. In the event work is commenced under this Permit and the permittee fails or refuses to complete the work, UDOT may, at its election, correct any deficiencies or otherwise complete the permitted work at the expense of the permittee. Upon receipt of an invoice of the costs incurred by UDOT, permittee shall immediately pay the amount due. If an action is required to be filed in court to collect the amount due, permittee shall be liable for UDOT's costs and fees, including attorney's fees.

Before work permitted is commenced, the permittee shall notify the permits inspector listed below. By applying for the Permit and UDOT issuing the Permit, permittee will comply with all instructions, conditions, requirements, and regulations of UDOT with respect to performance of the work described in the Permit. Permittee will properly control and warn the public of said work with UDOT's rights-of-way to prevent any accidents. Permittee shall defend, indemnify, and hold harmless UDOT from all damages or claims, including attorneys fees, arising out of any and all actions performed under this Permit by permittee, permittee's employees, agents or contractors, including failure to comply with terms and conditions in this Permit. Permittee shall pay for UDOT's inspections fees.

Permittee shall execute a bond in the minimum amount of \$100,000.00, as determined by the Regional Director/District Engineer, to insure faithful performance of the permittee's obligation. The bond shall remain in force for three years after completion of work.

Permittee shall not perform any work on state highway rights-of-way beyond those areas of operation described on this Permit.

If permittee fails to comply with UDOT's regulations, specifications, or instructions pertinent to this Permit, the Region Director/District Engineer or his duly authorized representative, may by verbal order, suspend the work until the violation is corrected. If permittee fails or refuses to promptly comply, the Region Director/District Engineer or his authorized representative may issue a written order stopping all or any part of the work. When satisfactory corrective action is taken, an order permitting resumption of work may be issued.

****** 24 Hours before starting work, call Keith Barnes 801-554-5140 at (801) 554-5140 ******

Special Limitations:

- Anyone working in UDOT's right of way must produce a valid permit, must be covered by a bond and insurance and must provide 24/7 contact phone numbers for emergencies
- Contractors working in UDOT's right-of-way must maintain access to transit facilities. Contractor shall notify UTA of all bus stops within work zone at least 1 business day prior to placing traffic control. Contractor shall keep access to bus stops for both passengers and buses, or provide an alternative approved by UTA. Both preserved and alternate access must match existing conditions or meet ADA standards. UTA in Utah county Ken Anson 801.227.8957 or kanson@rideuta.com , in Salt lake county contact Michael Clara 801.287.2325 or mclara@rideuta.com , in Weber County contact Bart Dean 801.287.1246 or bdean@rideuta.com. Bus stop access requirements may be waived by the UDOT permits officer on days when the bus does not run.
- INSPECTION CALL-IN REQUIREMENTS: The person performing the work authorized by the permit is responsible for notifying UDOT when work is ready for inspection. Every request for inspection must be called in at least 24-hours before the inspection is desired.
- Arrow board is required for any lane closure.
- All night work requires a minimum of one light plant to light work zone.
- Contractor shall maintain pedestrian and bicycle access through work zone.
- All subsurface utilities shall meet depth requirements per R930-7-8 table 2 (3-5 feet depending on location).
- Pothole Utilities we will require core to be removed, locate utility, Flow fill to bottom of pavement, Put core back in and utilibond in place.
- This agreement and/or permit is UDOT approval only. You are responsible to obtain clearances from rail roads, private propertyowners and local jurisdictions that you are working within.
- Any obstruction or object placed in UDOT's right of way must be identified on the approved plan-set and be approved by UDOT traffic and safety if in the AASHTO clear zone.
- Licensee must do all work in accordance with UDOT standard drawings.
Use current edition of UDOT standard drawing for traffic control. Use Utah MUTCD standards for traffic control elements not shown in UDOT standard

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

- drawings. Traffic control must be posted at the encroachment site for entire encroachment period.
- Prior to any work within the right-of-way, a traffic control plan must be submitted to UDOT and reviewed by the UDOT Traffic Engineer.
- Traffic Control Plans, signs and channelizing devices must conform to MUTCD Standards, as a minimum, and all signs must be equipped with three orange flags.
- Contact the TOC at 801-887-3700 prior to lane or shoulder closure with route, location, and detail duration. Call again when the job is complete.
- ANSI 107-2004 Class II clothing (or greater) is required of all workers within the right-of-way.
- Call 811, or contact Blue Stakes and check for other utilities in the area prior to excavation.
- No saw or pavement cuts permitted on this job.
- Licensee must place material such as road base, slag, gravel, etc. a minimum of 6" thick between edge of pavement and property line to prevent tracking onto the highway.
- ATSSA Certified Traffic Control Maintainer required.
- Licensee must comply with all environmental issues to include cultural & paleontologist clearances (see attachment "F").
- This permit is only for auger, bore, or directional drilling methods.
- Rotomill and inlay metal plates (1" minimum depth into the existing surface) as determined by Regional Permit Officer. USE STEEL PLATE AHEAD SIGN (W8-24) IN ADVANCE OF PLATE WHEN STEEL PLATES ARE PLACED ON THE ROADWAY. PLACE BUMP SIGN (W8-1) WITH A DIAGONAL DOWNWARD POINTING ARROW (W16-7P) PLAQUE ADJACENT TO THE STEEL PLATE.

Plates within the right of way shall be secured on all open excavations.

- Untreated Base Course with 97% compaction for the full depth of the trench with 6" lifts.
- Must use state approved mix. Saw cut and tack joints. Replace asphalt to existing depth or 7". Place using multiple, uniform lifts.
- Must use UDOT approved concrete mix design.
- All work must comply with current ADA standards.
- An inspector is required at the contractors expense with 48 hours notice.
- Inspections are not free. Please call your inspector if you are not working. You will be billed for the inspection if you fail to call.
- An inspector may be required at permittee's expense, with 48 hours notice. By accepting this permit, I agree to pay for inspection fees.
- Licensee is responsible for repairing and/or restoring any portion of the roadway damaged during construction.
- Licensee must restore shoulder of highway to its original or better condition. Including reseeding, replacing sidewalk, fencing, pipe, culverts or signs removed or damaged during construction and any other roadway features.
- Place pavement marking materials with a UDOT approved material within 48 hours of completion of paving. The pavement marking materials must meet UDOT standard specifications for a minimum of 6 months from time of placement.
- Work is to begin after 9:00 AM, open to traffic by 3:30 PM.
- All work must be completed by 12:00 PM prior to any Holiday and shall not commence until 8:00 AM on the following work day.
- Licensee shall keep highway free of mud and debris. A sweeper broom must be accessible for cleaning purposes.
- The depth of bury for all utility facilities under pavement shall be a minimum of four (4) feet below the top of pavement or existing grade including open drainage features. Where utility facilities are installed within 20 feet from the edge of pavement, the depth of bury shall be a minimum of five (5) feet below top of grade so as to allow for installation of UDOT signs or delineators. Utility facilities under sidewalks shall be installed a minimum of three (3) feet below the top of sidewalk.
- No storage of backfill material or pipe will be allowed within the ASHTO Clear Zone. Excavations must be backfilled daily or barrier will be required.
- UDOT will not be responsible for any damages that may occur to this special encroachment, whether it be by vandals, routine highway maintenance, construction projects, etc.
- Sidewalk shall be restored within 48 hours.
- A copy of the permit must be present at the encroachment site for the entire encroachment period.

By carrying out the activities allowed by this permit it is conclusive evidence that I have accepted all provisions, limitations, and restrictions of the permit and attachments, understand and agree to all penalties for failing to comply with them, and understand my ability to review a permit and applicable attachments at the appropriate region/district office.

Shane Safford (see app for signature)

(Permittee)



Approved By:

(for Region Director/District Engineer)

Maintenance Station No. 2427 South Salt Lake, Larry Limberis (801) 523-2632

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

Attachments:

November 26, 2003

Dear Permit Applicant:

Your requested use of State Highway right-of-way may be subject to various environmental laws.

The issuance of an encroachment permit by UDOT does not represent that you have complied with these environmental laws. See UDOT Standard Specification for Road and Bridge Construction 01355, 1.3-1.9 and all of Section 00820.

Particular laws you must comply with include:

- * water quality regulations dealing with storm water discharge and wetland protection
- * wetland disturbances
- * water rights regulations
- * air quality, including fugitive dust emissions
- * encountered underground storage tanks or buried hazardous materials
- * protection of threatened and endangered species
- * historical, cultural and/or paleontological sites

This list is not all-inclusive. It is your obligation to see that those environmental laws are complied with just as you are to comply with all other laws and regulations related to your work. The fact that a UDOT inspector may review aspects of the work does not imply that you are in compliance with any other laws or regulations or absolve you from any duties related to the work or the permit.

If the location where the work is to be performed is situated within a highway easement through Federal Lands (BLM, Forest Service or other federal land ownership) or is owned by another state agency, you must also contact the appropriate agency to obtain clearances from them for the work you propose to perform.

Sincerely,
Carlos M. Braceras, P.E.
Executive Director

FR/M01.124

ENVIRONMENTAL LAW ADMINISTRATORS

WATER QUALITY REGULATIONS - dealing with storm water discharge in relation to surface-water streams and ground water, Utah Division of Water Quality, 288 N 1600 W, SLC, Ut 84116, Thomas Rushing, 538-6951 UPDES Permits; Infrastructure Design Aspects, Kiran Bhayan 538-6080.

WETLAND DISTURBANCES - US Army Corps of Engineers, Utah Regulatory Office 583 W 2600 S #150, Bountiful, Ut 84010, Nancy Kang 801-295-8380 x14

WATER RIGHTS REGULATIONS AND STREAM CHANNEL ALTERATIONS - Utah Division of Water Rights, 1594 W. North Temple, SLC, Ut 84006, Darren Rasmussen 801-538-7377

AIR QUALITY - including fugitive dust emissions, Utah Division of Air Quality, 150 N. 1950 W, SLC, Ut 84116, Jeff Dean 536-4089, Compliance Section

UNDERGROUND STORAGE TANKS OR BURIED HAZARDOUS MATERIALS - Utah Division of Solid and Hazardous Wastes, 288 N 1460 W, SLC, Ut 84116, Paul Zahn, 536-4181, Underground Storage Tank Manager; Steve Theriot 536-4107, Environmental Response Manager.

THREATENED OR ENDANGERED SPECIES - US Fish and Wildlife Service, Endangered Species Protection, Lincoln Plaza 145 E 1300 S #404, SLC, Ut 84115, Henry Maddux 975-3330

HISTORICAL, CULTURAL AND/OR PALEONTOLOGICAL SITES - Utah State Historic Preservation Office 300 Rio Grande, SLC, Ut 84101-1182 -- Roger Roper 533-3561 and James Dykman 533-3555. Obtain written clearance from the Utah State Historical Preservation Office (SHPO) on all undertakings. Permittee may be responsible for securing a consultant to conduct a cultural survey to identify and determine eligible sites.

Region 1 NEPA/NHPA Specialist Shaun Nelson - 801-620-1635
 Region 2 NEPA/NHPA Specialist Betsy Skinner - 801-975-4923
 Region 3 NEPA/NHPA Specialist Rich Crosland - 801-222-3413
 Region 4 NEPA/NHPA Specialist Susan Miller - 435-893-4753 or Pam Higgins - 435-893-4740

ENVIRONMENTAL LAW ADMINISTRATORS (CONTINUED)

YOU ARE REQUIRED TO FOLLOW THE BELOW PROCEDURES OUTLINED ON ALL EXCAVATION

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

1. If a suspected hazardous materials, underground tanks, threatened or endangered species, historic, archeological or paleontological (fossil) item, feature or site is encountered, the construction operation of the permittee shall immediately stop in the vicinity of the discovery.
2. The UDOT region permits officer will be verbally notified by the permittee of the nature and exact location of the findings.
3. The UDOT region permits officer will keep the permittee informed concerning the status of the temporary restriction.
4. Failure to restrict construction and/or notify the UDOT region permits officer may result in revoking the permit and/or the conviction of a Class B Misdemeanor under UCA 9-8-404.