

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

ENCROACHMENT PERMIT:

App ID: 78894

Activity:

Function: 5430

Region 4**R4-175430-1**Date: **7/19/2017****Application of:** Central Utah Telephone, Inc. -Skyline TelecomWork Order No: **MC 17828****By:** Pam Rigby

Office:(435) 427-3331 Fax:(435) 427-0808

Address: PO Box 7 Fairview, UT 84629

Work:(435) 427-0650

Subcontractor CentraCom Project manager Cory Cox (435) 469-0163

is hereby granted subject to: Utah Depart Transportation's (UDOT's) Regulations For the Accommodation of Utilities on Federal Aid and Non Federal-Aid Highway Right-of-Way, Regulations for the Control and Protection of State Highway Rights of Way, Standard Specifications for Road and Bridge Construction, UDOT Specifications for Excavation of State Highway, State Occupational Safety and Health Laws, Manual on Uniform Traffic Control Devices, Instructions to Flagger, the approved plans, and any special limitations set forth herein, permission for the purpose of **Installing 1 1/4" conduit/fiber. Road bore directional drill at MPM 15.7. Installing handhole.** within the right of way limits in the following locations: **SR 118 Richfield.**

Highway 0118 Milepost 15.5000 to 15.7000 in/near OUTSIDE CITY LIMITS, SEVIER county

A permit fee of \$300.00 has been received.

The permitted work shall commence **7/25/2017** and shall be diligently prosecuted to completion. The work shall be completed and all disturbed surfaces or objects restored on or before **8/10/2017**. In the event work is commenced under this Permit and the permittee fails or refuses to complete the work, UDOT may, at its election, correct any deficiencies or otherwise complete the permitted work at the expense of the permittee. Upon receipt of an invoice of the costs incurred by UDOT, permittee shall immediately pay the amount due. If an action is required to be filed in court to collect the amount due, permittee shall be liable for UDOT's costs and fees, including attorney's fees.

Before work permitted is commenced, the permittee shall notify Station Supervisor (Listed below).. By applying for the Permit and UDOT issuing the Permit, permittee will comply with all instructions, conditions, requirements, and regulations of UDOT with respect to performance of the work described in the Permit. Permittee will properly control and warn the public of said work within UDOT's rights-of-way to prevent any accidents. Permittee shall defend, indemnify, and hold harmless UDOT from all damages or claims, including attorneys fees, arising out of any and all actions performed under this Permit by permittee, permittee's employees, agents or contractors, including failure to comply with terms and conditions in this Permit. Permittee shall pay for UDOT's inspections fees.

Permittee shall execute a bond in the minimum amount of \$100,000.00, as determined by the Regional Director/District Engineer, to insure faithful performance of the permittee's obligation. The bond shall remain in force for three years after completion of work.

Permittee shall hold an insurance policy in the amount of \$1,000,000.00, as determined by the Regional Director/District Engineer.

Permittee shall not perform any work on state highway rights-of-way beyond those areas of operation described on this Permit.

If permittee fails to comply with UDOT's regulations, specifications, or instructions pertinent to this Permit, the Region Director/District Engineer or his duly authorized representative, may by verbal order, suspend the work until the violation is corrected. If permittee fails or refuses to promptly comply, the Region Director/District Engineer or his authorized representative may issue a written order stopping all or any part of the work. When satisfactory corrective action is taken, an order permitting resumption of work may be issued.

Special Limitations:

- UDOT complies with a statewide stormwater Permit that requires control measures to minimize the discharge of pollutants to Waters of the State. As a Permittee, you are required to implement measures to prevent pollutants from entering UDOT's right-of-way. As a Condition of this Encroachment Permit, you must review the following stormwater fact sheets: udot.utah.gov/go/stormwaterfacts and udot.utah.gov/go/stormwaterpractices.
- Use current edition of UDOT standard drawing for traffic control. Use Utah MUTCD standards for traffic control elements not shown in UDOT standard drawings. Traffic control must be posted at the encroachment site for entire encroachment period.
- Contact station foreman before starting project.
- Prior to any work within the right-of-way, a traffic control plan must be submitted to UDOT and reviewed by the UDOT Traffic Engineer.
- Traffic Control Plans, signs and channelizing devices must conform to MUTCD Standards, as a minimum, and all signs must be equipped with three orange flags.
- This agreement and/or permit is UDOT approval only. You are responsible to obtain clearances from railroads, private property owners and local jurisdictions that you are working within.
- ANSI 107-2004 Class III clothing (or greater) is required of all workers within the right-of-way.
- Call 811, or contact Blue Stakes and check for other utilities in the area prior to excavation.
- If a historic, archeological, or paleontological item is encountered, construction shall be immediately stopped and UDOT notified.
- Licensee must do all work in accordance with UDOT approved plans.
- Notify UDOT upon completion of project for inspection.
- Licensee is responsible for repairing and/or restoring any portion of the roadway damaged during construction.
- Licensee must restore shoulder of highway to its original or better condition. Including reseeding, replacing sidewalk, fencing, pipe, culverts or signs removed or damaged during construction and any other roadway features.
- Licensee shall keep highway free of mud and debris. A sweeper broom must be accessible for cleaning purposes.

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

- The depth of bury for all utility facilities under pavement shall be a minimum of four (4) feet below the top of pavement or existing grade including open drainage features. Where utility facilities are installed within 20 feet from the edge of pavement, the depth of bury shall be a minimum of five (5) feet below top of grade so as to allow for installation of UDOT signs or delineators. Utility facilities under sidewalks shall be installed a minimum of three (3) feet below the top of sidewalk.
- Permit Holder will comply with all applicable environmental laws.
- Upon completion of project, contact the inspector as listed on this permit .
- By the accepting this permit, the Applicant acknowledges the hazardous nature of the work and agrees to assume full responsibility in the event of an accident or other incident involving death or injury to members of the Permitess Group or others, or property damage that results from negligence or intentional conduct on the part of any member of the group.

By carrying out the activities allowed by this permit it is conclusive evidence that I have accepted all provisions, limitations, and restrictions of the permit and attachments, understand and agree to all penalties for failing to comply with them, and understand my ability to review a permit and applicable attachments at the appropriate region/district office.

Approved By:

Authorizing Name (printed): Josh Peterson



(for Region Director/District Engineer)

- Maintenance Station No. 4764 Region 4 Utilities Coordinator, Gernice White (435) 893-4764
- Maintenance Station No. 4702 R4 Public Information Officer, Kevin Kitchen (435) 979-4551
- Maintenance Station No. 9039 R4, East Area Supervisor, Dave Roberts (435) 979-9039
- Maintenance Station No. 4464 Richfield, Lance Mooney (435) 979-1927

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

ENCROACHMENT PERMIT:

App ID: 78894

Activity:

Function: 5430

Region 4**R4-175430-1**Date: **7/19/2017****Application of:** Central Utah Telephone, Inc. -Skyline TelecomWork Order No: **MC 17828****By:** Pam Rigby

Office:(435) 427-3331 Fax:(435) 427-0808

Address: PO Box 7 Fairview, UT 84629

Work:(435) 427-0650

Subcontractor CentraCom Project manager Cory Cox (435) 469-0163

is hereby granted subject to: Utah Depart Transportation's (UDOT's) Regulations For the Accommodation of Utilities on Federal Aid and Non Federal-Aid Highway Right-of-Way, Regulations for the Control and Protection of State Highway Rights of Way, Standard Specifications for Road and Bridge Construction, UDOT Specifications for Excavation of State Highway, State Occupational Safety and Health Laws, Manual on Uniform Traffic Control Devices, Instructions to Flaggers, the approved plans, and any special limitations set forth herein, permission for the purpose of **Installing 1 1/4" conduit/fiber. Road bore directional drill at MPM 15.7. Installing handhole.** within the right of way limits in the following locations: **SR 118 Richfield.**

Highway 0118 Milepost 15.5000 to 15.7000 in/near OUTSIDE CITY LIMITS, SEVIER county

A permit fee of \$300.00 has been received.

The permitted work shall commence **7/25/2017** and shall be diligently prosecuted to completion. The work shall be completed and all disturbed surfaces or objects restored on or before **8/10/2017**. In the event work is commenced under this Permit and the permittee fails or refuses to complete the work, UDOT may, at its election, correct any deficiencies or otherwise complete the permitted work at the expense of the permittee. Upon receipt of an invoice of the costs incurred by UDOT, permittee shall immediately pay the amount due. If an action is required to be filed in court to collect the amount due, permittee shall be liable for UDOT's costs and fees, including attorney's fees.

Before work permitted is commenced, the permittee shall notify Station Supervisor (Listed below).. By applying for the Permit and UDOT issuing the Permit, permittee will comply with all instructions, conditions, requirements, and regulations of UDOT with respect to performance of the work described in the Permit. Permittee will properly control and warn the public of said work withit UDOT's rights-of-way to prevent any accidents. Permittee shall defend, indemnify, and hold harmless UDOT from all damages or claims, including attorneys fees, arising out of any and all actions performed under this Permit by permittee, permittee's employees, agents or contractors, including failure to comply with terms and conditions in this Permit. Permittee shall pay for UDOT's inspections fees.

Permittee shall execute a bond in the minimum amount of \$100,000.00, as determined by the Regional Director/District Engineer, to insure faithful performance of the permittee's obligation. The bond shall remain in force for three years after completion of work.

Permittee shall hold an insurance policy in the amount of \$1,000,000.00, as determined by the Regional Director/District Engineer.

Permittee shall not perform any work on state highway rights-of-way beyond those areas of operation described on this Permit.

If permittee fails to comply with UDOT's regulations, specifications, or instructions pertinent to this Permit, the Region Director/District Engineer or his duly authorized representative, may by verbal order, suspend the work until the violation is corrected. If permittee fails or refuses to promptly comply, the Region Director/District Engineer or his authorized representative may issue a written order stopping all or any part of the work. When satisfactory corrective action is taken, an order permitting resumption of work may be issued.

Special Limitations:

- UDOT complies with a statewide stormwater Permit that requires control measures to minimize the discharge of pollutants to Waters of the State. As a Permittee, you are required to implement measures to prevent pollutants from entering UDOT's right-of-way. As a Condition of this Encroachment Permit, you must review the following stormwater fact sheets: udot.utah.gov/go/stormwaterfacts and udot.utah.gov/go/stormwaterpractices.
- Use current edition of UDOT standard drawing for traffic control. Use Utah MUTCD standards for traffic control elements not shown in UDOT standard drawings. Traffic control must be posted at the encroachment site for entire encroachment period.
- Contact station foreman before starting project.
- Prior to any work within the right-of-way, a traffic control plan must be submitted to UDOT and reviewed by the UDOT Traffic Engineer.
- Traffic Control Plans, signs and channelizing devices must conform to MUTCD Standards, as a minimum, and all signs must be equipped with three orange flags.
- This agreement and/or permit is UDOT approval only. You are responsible to obtain clearances from railroads, private property owners and local jurisdictions that you are working within.
- ANSI 107-2004 Class III clothing (or greater) is required of all workers within the right-of-way.
- Call 811, or contact Blue Stakes and check for other utilities in the area prior to excavation.
- If a historic, archeological, or paleontological item is encountered, construction shall be immediately stopped and UDOT notified.
- Licensee must do all work in accordance with UDOT approved plans.
- Notify UDOT upon completion of project for inspection.
- Licensee is responsible for repairing and/or restoring any portion of the roadway damaged during construction.
- Licensee must restore shoulder of highway to its original or better condition. Including reseeding, replacing sidewalk, fencing, pipe, culverts or signs removed or damaged during construction and any other roadway features.
- Licensee shall keep highway free of mud and debris. A sweeper broom must be accessible for cleaning purposes.

UTAH DEPARTMENT OF TRANSPORTATION PERMIT

- The depth of bury for all utility facilities under pavement shall be a minimum of four (4) feet below the top of pavement or existing grade including open drainage features. Where utility facilities are installed within 20 feet from the edge of pavement, the depth of bury shall be a minimum of five (5) feet below top of grade so as to allow for installation of UDOT signs or delineators. Utility facilities under sidewalks shall be installed a minimum of three (3) feet below the top of sidewalk.
- Permit Holder will comply with all applicable environmental laws.
- Upon completion of project, contact the inspector as listed on this permit .
- By the accepting this permit, the Applicant acknowledges the hazardous nature of the work and agrees to assume full responsibility in the event of an accident or other incident involving death or injury to members of the Permitess Group or others, or property damage that results from negligence or intentional conduct on the part of any member of the group.

By carrying out the activities allowed by this permit it is conclusive evidence that I have accepted all provisions, limitations, and restrictions of the permit and attachments, understand and agree to all penalties for failing to comply with them, and understand my ability to review a permit and applicable attachments at the appropriate region/district office.

Approved By:

Authorizing Name (printed): Josh Peterson



(for Region Director/District Engineer)

- Maintenance Station No. 4764 Region 4 Utilities Coordinator, Gernice White (435) 893-4764
- Maintenance Station No. 4702 R4 Public Information Officer, Kevin Kitchen (435) 979-4551
- Maintenance Station No. 9039 R4, East Area Supervisor, Dave Roberts (435) 979-9039
- Maintenance Station No. 4464 Richfield, Lance Mooney (435) 979-1927