



### PERMIT MUST BE AVAILABLE FOR REVIEW & INSPECTION AT ALL TIMES AT THE PERMITTED WORKSITE

GENERAL PERMIT INFORMATION											
Issuance Date	UDOT Region	UDOT Region Inspection Billing Number W.O. Number					)	OLP Applica	ation ID		
1/4/2018	Region 3	81R	03172	MC17922			81855				
State Route	Milepost Start	Latitude	Longitude	City		Count	ty	Worksite Address			
0068	31.726			SARATOGA SI	PRINGS	UTAI	I	SR 145 and SR 68			
	Permittee Name							Permittee Address			
Permittee			ah Telephone				PO Box 7, Fairv	view, UT 84629			
Information		•	ontact Name		Primary			Email			
			ch Cox		(435) 42	27-3331		p.rigby@cut.	net		
Work Being		Company Name						Email			
Performed for			ah Telephone		(435) 42	27-0648	1	pamrigby@centracom.com			
Emergency			ct Name		Primary			Email			
Field Contact			Johnson		(435) 46	59-0394	1	pamrigby@centrac	com.com		
	PROJECT DESCRIPTION (Applicant-Provided)										
Accessing existing	handhole. Installing	1 1/4" conduit/fiber or	n west side of SR 68 (Re	dwood Road) for 22	25'. Installing	handhole.	PE	ERMIT FEE	PAID		
								\$500.0	0		
							SU	SULA Confirmation Number			
			DEDMIT AUTHOR		E EDAMI	EC					
Start	01/08/2018		PERMIT AUTHOR 02/07/2018			LS		30			
Work Only Au		Expires Mondays			Day Count hursdays	E,	ridays	Saturdays	Sunda	T/C	
		•	(p.2 of this permit)	Start	•	F		ompleted By:	Sullua	.ys	
for specialized day and time authorization instructions.  Start Time:							C	ompleted By:			
			PERMIT ACTIV								
			ted 24-hours before we			OT's right	of-way.				
			dividual 24-hours befo			nn ID No	holow)!				
		ike tile emali subjec	et line as follows: 'Pern		<u> </u>	^ ^					
Br	andon Hyatt		BHYATT@utah.gov (801) 633-254					8	81855		

An Encroachment Permit is hereby authorized subject to Utah Administrative Code R930-6, R930-7, and any other applicable laws or regulations. By performing the activities authorized by this permit, the permittee agrees to strictly comply with all permit terms, conditions, and limitations (TC&L's), including any attachments submitted with the application. Failure to abide by all permit TC&L's, or any term set forth by this permit, is grounds for immediate verbal stop work order, written stop work order, permit revocation, the restriction of future permits, or other legal or equitable remedies.

In the event work is commenced under this permit and the permittee fails or refuses to complete the work, including performing substandard work, UDOT may, at its discretion, order the permittee to stop work and UDOT may correct any deficiencies or otherwise complete the permitted work at the expense of the permittee. Upon the receipt of an invoice for any costs, including all inspection costs, incurred by UDOT, the permittee shall immediately pay the amount due. If an action is required to be filed in court to collect the amount due, the permittee shall be liable for UDOT's costs and fees, including attorney fees. The permittee will strictly comply with the traffic control standards and warn the public of said work within UDOT's right-of-way to protect the traveling public and all personnel authorized within the permitted work zone. When traffic control is required, the permittee will not pre-stage any vehicles, equipment, personnel, or materials within any portion of UDOT's right-of-way until the required traffic control is in place. By accepting this permit, the permittee shall defend, indemnify, and hold harmless UDOT, its employees, consultants, contractors, agents, and the State of Utah, from all damages or claims, including attorney fees, arising out of the work performed under this permit by permittee, permittee's employees, agents, consultants, contractors, or subcontractors.

Authorizing Name (printed): Jim Winn Authorizing Name (signed):

James Winn





### **Listed Subcontractors**

PERMIT APPLICATION DETAILS (Applicant-Provided)								
Application Step 3 of 5 Responses	Application S	Step	4 of 5 Responses					
New or Existing Utility Work within UDOT's Right-of-Way	SURFACE TYPE     NATURE OF FACILITY     UTILITY TRANSMISSION TYPE		Other (Explain) Buried Telecommunication	dirt				
	NATURE OF WORK	_	s/Fiber New Installation Casing or Conduit					
	WATCKE OF WORK	<u> </u>	Casing/Conduit Size Diameter Boring or Direction Drilling	1 1/4"				

REQUIRED DOCUMENTS UPLOADED								
The following document were electronically uploaded in the Online Permit System and are associated with this permit:								
Document Type:	Document Name:							
Liability Insurance	- UDOT insurance cert 2018.pdf							
Traffic Control Plan	- Quick Quack UDOT Saratoga Springs.jpg revised.jpg							
Detail Plan of Work	- CentraCom_MC17922_QuickQuack.pdf							
Bond	- R930-7 Statewide Performance and Warranty Bond UDOT.pdf							

### SPECIAL LIMITATIONS

One Lane closure maximum at a time closures 9 AM to 3:30 PM or Night work from 9 PM to 6 AM Lane to be closed only when personnel are present working. Shoulder work may be done at any time

All shoulders must be restored to original condition.

Any signs/ above ground markers removed in ROW must be replaced to original location and condition.

### PERMIT TERMS, CONDITIONS, AND LIMITATIONS

- 1. UDOT has the right to require an approved crash barrier to protect any above ground feature that is in UDOT right of way or AASTHO clear zone whichever is greater.
- 2. Contractors working in UDOT's right-of-way must maintain access to transit facilities. Contractor shall notify UTA of all bus stops within work zone at least 1 business day prior to placing traffic control. Contractor shall keep access to bus stops for both passengers and buses, or provide an alternative approved by UTA. Both preserved and alternate access must match existing conditions or meet ADA standards.UTA in Utah county Ken Anson 801.227.8957 or kanson@rideuta.com, in Salt lake county contact Michael Clara 801.287.2325 or mclara@rideuta.com, in Weber County contact Bart Dean 801.287.1246 or bdean@rideuta.com. Bus stop access requirements may be waived by the UDOT permits officer on days when the bus does not run.
- 3. INSPECTION CALL-IN REQUIREMENTS: The person performing the work authorized by the permit is responsible for notifying UDOT when work is ready for inspection. Every request for inspection must be called in at least 24-hours before the inspection is desired.
- 4. Pothole Utilities we will require core to be removed, locate utility, Flow fill to bottom of pavement, Put core back in and utilibond in place.
- 5. This agreement and/or permit is UDOT approval only. You are responsible to obtain clearances from rail roads, private propertyowners and local jurisdictions that you are working within.
- 6. Any asphalt damaged by your work will require a mill and overlay of the entire effected area with UDOT approved HMA mix design asphalt, from an approved source.
- 7. If a contractor is working in the area of your permit scope. Contact contractor and work together so all work can be completed for all parties. Insure no traffic control conflicts exist. First contractor to start work has the right to complete their project first.
- 8. UDOT complies with a statewide stormwater Permit that requires control measures to minimize the discharge of pollutants to Waters of the State. As a Permittee, you are required to implement measures to prevent pollutants from entering UDOT's right-of-way. As a Condition of this Encroachment Permit, you must review the following stormwater fact sheets: udot.utah.gov/go/stormwaterfacts and udot.utah.gov/go/stormwaterpractices.
- If any potholes are required in the pavement you will be required to do them at Night from 9PM til 6AM No extensions will be allowed on this permit
- If any potholes are required in the pavement you will be required to do them at Night from 9PM til 6AM No extensions will be allowed on this permit
- Licensee must do all work in accordance with UDOT standard drawings.
- Use current edition of UDOT standard drawing for traffic control. Use Utah MUTCD stardards for traffic control elements not shown in UDOT standard drawings. Traffic control must be posted at the encroachment site for entire encroachment period.
- Contact station foreman before starting project.
- 14. Prior to any work within the right-of-way, a traffic control plan must be submitted to UDOT and reviewed by the UDOT Traffic Engineer.





#### PERMIT TERMS, CONDITIONS, AND LIMITATIONS

- 15. Traffic Control Plans, signs and channelizing devices must conform to MUTCD Standards, as a minimum, and all signs must be equipped with three orange flags.
- 16. This agreement and/or permit is UDOT approval only. You are responsible to obtain clearances from railroads, private property owners and local jurisdictions that you are working within.
- 17. ANSI 107-2004 Class III clothing (or greater) is required of all workers within the right-of-way.
- Call 811, or contact Blue Stakes and check for other utilities in the area prior to excavation.
- 19. No saw or pavement cuts permitted on this job.
- 20. Licensee must place material such as road base, slag, gravel, etc. a minimum of 6" thick between edge of pavement and property line to prevent tracking onto the highway.
- 21. ATSSA Certified Traffic Control Maintainer required.
- 22. Licensee must comply with all environmental issues to include cultural & paleontologist clearances (see attachment "F").
- 23. See Attachment "F".
- 24. Untreated Base Course with 97% compaction for the full depth of the trench with 6" lifts.
- 25. When a hazard is within the work clear zone and the vertical grade separation is 6" or greater or a slope steeper than 4:1, a UDOT approved barrier system is required.
- 26. If paving is done after Oct. 15 and before Apr. 15, licensee must replace temporary repair work when temperature and weather conditions are such that asphalt pavement can be placed in accordance with state specifications. In all instances, cold mix must be replaced with hot mix.
- 27. All work must comply with current ADA standards.
- 28. Notify UDOT upon completion of project for inspection.
- 29. An inspector may be required at permittee's expense, with 48 hours notice. By accepting this permit, I agree to pay for inspection fees.
- 30. Licensee is responsible for repairing and/or restoring any portion of the roadway damaged during construction.
- 31. Licensee must restore shoulder of highway to its original or better condition. Including reseeding, replacing sidewalk, fencing, pipe, culverts or signs removed or damaged during construction and any other roadway features.
- 32. All work must be completed by 12:00 PM prior to any Holiday and shall not commence until 8:00 AM on the following work day.
- 33. Licensee shall keep highway free of mud and debris. A sweeper broom must be accessible for cleaning purposes.
- 34. The depth of bury for all utility facilities under pavement shall be a minimum of four (4) feet below the top of pavement or existing grade including open drainage features. Where utility facilities are installed within 20 feet from the edge of pavement, the depth of bury shall be a minimum of five (5) feet below top of grade so as to allow for installation of UDOT signs or delineators. Utility facilities under sidewalks shall be installed a minimum of three (3) feet below the top of sidewalk.
- 35. No storage of backfill material or pipe will be allowed within the ASHTO Clear Zone. Excavations must be backfilled daily or barrier will be required.
- 36. Permit Holder will comply with all applicable environmental laws.
- 37. Upon completion of project, contact the inspector as listed on this permit .
- 38. A copy of the permit must be present at the encroachment site for the entire encroachment period.
- 39. By the accepting this permit, the Applicant acknowledges the hazardous nature of the work and agrees to assume full responsibility in the event of an accident or other incident involving death or injury to members of the Permitess Group or others, or property damage that results from negligence or intentional conduct on the part of any member of the group.

GENERAL PERMIT INFORMATION									
Issuance Date	UDOT Region	OT Region Inspection Billing Number W			er (applican	t-provided)	OLP Application ID		
1/4/2018	Region 3	81R		MC17922		81855			
State Route	Milepost Start	Latitude	Longitude	City		County	Worksite Address		
0068	31.726			SARATOGA S	PRINGS	UTAH	SR 145 and SR 68		
		Permitt	tee Name	Permittee Address					
Permittee		Central Uta	nh Telephone		PO Box 7, Fairview, UT 84629				
Information		Primary C	ontact Name		Primary Phone		Email		
		Bran	ch Cox		(435) 427-3331		p.rigby@cut.net		
Work Being		Compa	ny Name		Primary Phone		Email		
Performed for		Central Uta	h Telephone		(435) 427-0648		pamrigby@centracom.com		
Emergency		Contac	ct Name		Primary Phone		Email		
Field Contact		Brett J	Johnson	•	(435) 469-0394		pamrigby@centracom.com		

PROJECT DESCRIPTION (Applicant-Provided)

PERMIT FEE PAID





Accessing existing handhole. Installing 1 1/4" conduit/fiber on west side of SR 68 (Redwood Road) for 225'. Installing handhole.								e.	\$500.0	00		
										SULA Confirmat	ion Numbe	er
PERMIT AUTHORIZATION TIME-FRAMES												
Start	01/08/2018	Exp	ires	02/07/20	18		Total Day Count			30		
Work Only	Authorized On:	Monday	s	Tuesdays	Wedne	sdays	s Thursdays Frid			Saturdays	Sun	ndays
A	pplicant must refer	to the TC&	L table	e (p.2 of this per	mit)		Start Time:	,		Completed By:		
for	specialized day an	d time auth	orizatio	on instructions.		Ī	Start Time:			Completed By:		
				PERMIT A	CTIVA'	TION	N REQUIREMEN	VT.				
This permit MUST BE activated 24-hours before work is commenced within UDOT's right-of-way.  Please email the following individual 24-hours before work will start.  Please make the email subject line as follows: 'Permit Activation Notice (insert App ID No. below)'												
Brandon Hyatt BHYATT@utah.gov (801) 633-254						3-2540		81855				
A . E	An Engage has set Descritis house settle sized subject to Utah Administrative Code D020 C D020 7 and somether subject le lesses											

An Encroachment Permit is hereby authorized subject to Utah Administrative Code R930-6, R930-7, and any other applicable laws or regulations. By performing the activities authorized by this permit, the permittee agrees to strictly comply with all permit terms, conditions, and limitations (TC&L's), including any attachments submitted with the application. Failure to abide by all permit TC&L's, or any term set forth by this permit, is grounds for immediate verbal stop work order, written stop work order, permit revocation, the restriction of future permits, or other legal or equitable remedies.

In the event work is commenced under this permit and the permittee fails or refuses to complete the work, including performing substandard work, UDOT may, at its discretion, order the permittee to stop work and UDOT may correct any deficiencies or otherwise complete the permitted work at the expense of the permittee. Upon the receipt of an invoice for any costs, including all inspection costs, incurred by UDOT, the permittee shall immediately pay the amount due. If an action is required to be filed in court to collect the amount due, the permittee shall be liable for UDOT's costs and fees, including attorney fees. The permittee will strictly comply with the traffic control standards and warn the public of said work within UDOT's right-of-way to protect the traveling public and all personnel authorized within the permitted work zone. When traffic control is required, the permittee will not pre-stage any vehicles, equipment, personnel, or materials within any portion of UDOT's right-of-way until the required traffic control is in place. By accepting this permit, the permittee shall defend, indemnify, and hold harmless UDOT, its employees, consultants, contractors, agents, and the State of Utah, from all damages or claims, including attorney fees, arising out of the work performed under this permit by permittee, permittee's employees, agents, consultants, contractors, or subcontractors.

Authorizing Name (printed): Jim Winn Authorizing Name (signed):

### Listed Subcontractors

PERMIT APPLICATION DETAILS (Applicant-Provided)								
Application Step 3 of 5 Responses	Application Step 4 of 5 Responses							
New or Existing Utility Work within UDOT's Right-of-Way	— SURFACE TYPE — Other (Explain) dirt							
	- NATURE OF FACILITY Buried							
	- UTILITY TRANSMISSION TYPE — Telecommunication							
	s/Fiber							





– NATURE OF WORK – NATURE OF WORK	_	New Installation . O Casing or Conduit	
- NATURE OF WORK	—	e	1 1/4"
- INSTALLATION METHOD		Size Diameter Boring or Direction Drilling	

REQUIRED DOCUMENTS UPLOADED								
The following document were electronically uploaded in the Online Permit System and are associated with this permit:								
Document Type:	Document Name:							
Liability Insurance	· UDOT insurance cert 2018.pdf							
Traffic Control Plan	· Quick Quack UDOT Saratoga Springs.jpg revised.jpg							
Detail Plan of Work	- CentraCom_MC17922_QuickQuack.pdf							
Bond	- R930-7 Statewide Performance and Warranty Bond UDOT.pdf	]						

### SPECIAL LIMITATIONS

One Lane closure maximum at a time closures 9 AM to 3:30 PM or Night work from 9 PM to 6 AM Lane to be closed only when personnel are present working. Shoulder work may be done at any time

All shoulders must be restored to original condition.

Any signs/ above ground markers removed in ROW must be replaced to original location and condition.

### PERMIT TERMS, CONDITIONS, AND LIMITATIONS

- 1. UDOT has the right to require an approved crash barrier to protect any above ground feature that is in UDOT right of way or AASTHO clear zone whichever is greater.
- 2. Contractors working in UDOT's right-of-way must maintain access to transit facilities. Contractor shall notify UTA of all bus stops within work zone at least 1 business day prior to placing traffic control. Contractor shall keep access to bus stops for both passengers and buses, or provide an alternative approved by UTA. Both preserved and alternate access must match existing conditions or meet ADA standards.UTA in Utah county Ken Anson 801.227.8957 or kanson@rideuta.com, in Salt lake county contact Michael Clara 801.287.2325 or mclara@rideuta.com, in Weber County contact Bart Dean 801.287.1246 or bdean@rideuta.com. Bus stop access requirements may be waived by the UDOT permits officer on days when the bus does not run.
- INSPECTION CALL-IN REQUIREMENTS: The person performing the work authorized by the permit is responsible for notifying UDOT when work is ready for inspection.
   Every request for inspection must be called in at least 24-hours before the inspection is desired.
- 4. Pothole Utilities we will require core to be removed, locate utility, Flow fill to bottom of pavement, Put core back in and utilibond in place.
- This agreement and/or permit is UDOT approval only. You are responsible to obtain clearances from rail roads, private propertyowners and local jurisdictions that you are working within.
- 6. Any asphalt damaged by your work will require a mill and overlay of the entire effected area with UDOT approved HMA mix design asphalt, from an approved source.
- 7. If a contractor is working in the area of your permit scope. Contact contractor and work together so all work can be completed for all parties. Insure no traffic control conflicts exist. First contractor to start work has the right to complete their project first.
- 8. UDOT complies with a statewide stormwater Permit that requires control measures to minimize the discharge of pollutants to Waters of the State. As a Permittee, you are required to implement measures to prevent pollutants from entering UDOT's right-of-way. As a Condition of this Encroachment Permit, you must review the following stormwater fact sheets: udot.utah.gov/go/stormwaterfacts and udot.utah.gov/go/stormwaterpractices.
- If any potholes are required in the pavement you will be required to do them at Night from 9PM til 6AM No extensions will be allowed on this permit
- If any potholes are required in the pavement you will be required to do them at Night from 9PM til 6AM No extensions will be allowed on this permit
- Licensee must do all work in accordance with UDOT standard drawings.
- 12. Use current edition of UDOT standard drawing for traffic control. Use Utah MUTCD stardards for traffic control elements not shown in UDOT standard drawings. Traffic control must be posted at the encroachment site for entire encroachment period.
- Contact station foreman before starting project.
- 14. Prior to any work within the right-of-way, a traffic control plan must be submitted to UDOT and reviewed by the UDOT Traffic Engineer.
- 15. Traffic Control Plans, signs and channelizing devices must conform to MUTCD Standards, as a minimum, and all signs must be equipped with three orange flags.
- 16. This agreement and/or permit is UDOT approval only. You are responsible to obtain clearances from railroads, private property owners and local jurisdictions that you are working within.
- 17. ANSI 107-2004 Class III clothing (or greater) is required of all workers within the right-of-way.
- 18. Call 811, or contact Blue Stakes and check for other utilities in the area prior to excavation.
- 19. No saw or pavement cuts permitted on this job.
- 20. Licensee must place material such as road base, slag, gravel, etc. a minimum of 6" thick between edge of pavement and property line to prevent tracking onto the highway.





### PERMIT TERMS, CONDITIONS, AND LIMITATIONS

- 21. ATSSA Certified Traffic Control Maintainer required.
- 22. Licensee must comply with all environmental issues to include cultural & paleontologist clearances (see attachment "F").
- See Attachment "F".
- 24. Untreated Base Course with 97% compaction for the full depth of the trench with 6" lifts.
- 25. When a hazard is within the work clear zone and the vertical grade separation is 6" or greater or a slope steeper than 4:1, a UDOT approved barrier system is required.
- 26. If paving is done after Oct. 15 and before Apr. 15, licensee must replace temporary repair work when temperature and weather conditions are such that asphalt pavement can be placed in accordance with state specifications. In all instances, cold mix must be replaced with hot mix.
- 27. All work must comply with current ADA standards.
- 28. Notify UDOT upon completion of project for inspection.
- 29. An inspector may be required at permittee's expense, with 48 hours notice. By accepting this permit, I agree to pay for inspection fees.
- 30. Licensee is responsible for repairing and/or restoring any portion of the roadway damaged during construction.
- 31. Licensee must restore shoulder of highway to its original or better condition. Including reseeding, replacing sidewalk, fencing, pipe, culverts or signs removed or damaged during construction and any other roadway features.
- 32. All work must be completed by 12:00 PM prior to any Holiday and shall not commence until 8:00 AM on the following work day.
- Licensee shall keep highway free of mud and debris. A sweeper broom must be accessible for cleaning purposes.
- 34. The depth of bury for all utility facilities under pavement shall be a minimum of four (4) feet below the top of pavement or existing grade including open drainage features. Where utility facilities are installed within 20 feet from the edge of pavement, the depth of bury shall be a minimum of five (5) feet below top of grade so as to allow for installation of UDOT signs or delineators. Utility facilities under sidewalks shall be installed a minimum of three (3) feet below the top of sidewalk.
- 35. No storage of backfill material or pipe will be allowed within the ASHTO Clear Zone. Excavations must be backfilled daily or barrier will be required.
- 36. Permit Holder will comply with all applicable environmental laws.
- 37. Upon completion of project, contact the inspector as listed on this permit .
- 38. A copy of the permit must be present at the encroachment site for the entire encroachment period.
- 39. By the accepting this permit, the Applicant acknowledges the hazardous nature of the work and agrees to assume full responsibility in the event of an accident or other incident involving death or injury to members of the Permitess Group or others, or property damage that results from negligence or intentional conduct on the part of any member of the group.