



Franchise Utility Right-of-Way Permit

275 East 200 North, American Fork, UT 84003 • 801-763-3060 • cloyd@afcity.net

Date: Oct 5, 2018

Job #: _____

APPLICANT/CONTACT INFORMATION			
Contact Person:	Pam Rigby		
Company Name:	CentraCom		
Address:	PO Box 7		
City:	Fairview	State:	UT
		Zip:	84629
Phone:	435-427-0648	Cell:	
Email:	pamrigby@centracom.com	Fax:	435-427-0808

EXCAVATOR/CONTRACTOR INFORMATION			
Contact Person:	Brett Johnson Project Manager	24 Hour Contact:	Brett Johnson
Company Name:	CentraCom/MKJ Construction	Phone/Cell:	435-469-0394
Address:	PO Box 7		
City:	Fairview	State:	UT
		Zip:	84629
Phone:	435-427-0648	Cell:	435-469-0394
Email:	pamrigby@centracom.com	Fax:	435-427-0808
License No.:	87-0537157		

STREET CUT INFORMATION	
Site Address:	752 E State St American Fork
Job Description:	Installing handholes over existing 4" conduit.
Approximate Start Date:	10/15/18
Approximate Completion Date:	10/31/18

Requirements/Special Instructions/Limitations
<p>Applicant shall provide the following:</p> <ul style="list-style-type: none"> * A traffic control detour plan. * A site plan showing cut location(s) with <u>square footage</u> and <u>infrastructure installation</u> including any handholds, manholes, and/or above-ground facilities. <p>Applicant shall contact all emergency personnel, adjacent businesses as well as residents, and the Alpine School District, provide adequate barricades and flagging as necessary, and call for an inspection of all trench compaction, asphalt and concrete. TRENCHES MUST BE COVERED WITH A STEEL PLATE AND NOT LEFT OPEN OVERNIGHT. Concrete must be covered and heated, if required.</p>

Applicant agrees to perform operations in rights-of-way under the jurisdiction of American Fork City in accordance with the appropriate provisions contained in the "American Fork City Standards and Specifications" as well as any special provisions that shall apply to this permit, and by this reference, are made a part thereof. A copy of the approved permit and all supporting documentation must be available on site.

* Contact Epic Engineering, 435-654-8600 for inspections*

18-01066
Permit Number

[Signature]
Applicant Signature

[Signature] 10/2/18
Engineering Division Representative

10/5/18
Date



UTILITY & RIGHT OF WAY PERMIT REVIEW CHECKLIST

Project Name: CentraCom

Project Address: 752 East State Street

Date Reviewed: 10/9/18

Reviewed by: Tana Uyema

		YES	NO	N/A	COMMENTS
1	Site address indicates actual location	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2	Applicant signature and date	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3	Start date & completion date	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4	Is this a Public Street and owned by American Fork	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
5	Site plan showing cut locations with square footage and infrastructure installation including any handholds, manholes, and/or above ground facilities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6	Traffic control detour plan: Safety barricades and illumination required (accordance with Manual on Uniform Traffic Control Devices)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
7	Road closure? Fees per day (Fee Schedule)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
8	Surface course & maintenance course meets the criteria: Excavation of pavement in a street that has newly placed maintenance course (surface less than 1" thickness) may not be made for 2 years after substantial completion of the work (12.08.040.A) Excavation of pavement in a resurfaced street (greater than 1" thickness) may not be made for 5 years after substantial completion of work (12.08.040.B) Excavation of pavement in a newly constructed street or reconstructed street (complete removal and replacement) may not be made for 8 years after substantial completion of work (12.08.040.C) Exception. In the event of an emergency, as determined by the City Engineer, excavation may occur upon approval of the replacement limits: Not less than 1 lane width; Bituminous seal coat required for uniformity to match color (12.08.040.D,E,F)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
9	Contact GIS Coordinator to verify drawings of utilities. Work performed does not interfere with any existing utilities: River, Irrigation, Water, Pl, Sewer, Storm Drain, Street Light, Fiber	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	VERIFY 3' CLEARANCE OF EXISTING FIRE HYDRANT.
10	Work and installation meets Franchise Utility Agreement	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
11	Installation is covered under the development bond	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	If no, bond required
12	All utilities shall be located underground, except that the city may permit the installation of utilities above-ground, subject to a prior finding by the city engineer that underground installation is not reasonably feasible (17.8.409)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Administrative Assistant

13	Proof of licensed contractor. License is in relation to the work being performed (15.01.270)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
14	Sufficient liability insurance (15.01.270)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
15	Email to applicant with approval	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

NOTES/REQUIREMENTS:

Permits: UDOT, Stream Alteration Permit from State (AF River)
 Failure to restore street prohibited - Surfacing replaced within three calendar days following completion of the excavation (12.08.030)
 Trench repair. "T" Patch 2' ledge of undisturbed soil on all sides. Restoration in the minimum amount of 3 inches of asphalt for local streets or 5 inches of asphalt for collector or arterial streets (provision that in all cases pavement sections shall be 1 inch in depth in addition to the depth of the existing asphalt being disturbed)
 Trench repair shall include an additional ledge of undisturbed soil that shall increase in width as the depth increases (1-5 feet depth ledge 1-2 feet; Deeper than 5 feet ledge shall be 4 feet)
 VMS Board for Public notification prior to beginning road closure
 Traffic light adjustments for detour
 Blue Stakes